



Under the Paperwork Reduction Act of 1995 no Persons are required to respond to a collection of information unless it contains a valid OMR control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number 10/801,321

Filing Date 03/16/2004

First Named Inventor Pinney et al

Art Unit 3651

Examiner Name Tran

Attorney Docket Number 42193-0005

Sheet

1

of

4

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		PYXIS HELPMATE® SP product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		PYXIS MEDSTATION® 2000 product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		PYXIS MEDSTATION®3000 product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		PYXIS SUPPLYSTATION® product literature; published or in public use at least as early as June 30, 2002; 4 pgs.	
		SCRIPTPRO®Pharmacy Automation SP 100™ Robotic Prescription Dispensing System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		SCRIPTPTO® Pharmacy Automation SP 200® Robotic Prescription Dispensing System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		SCRIPTPRO® Pharmacy Automation SP Central® Pharmacy Dispensing Management System product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		SCRIPTPRO® Pharmacy Automation SP Station® product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		SCRIPTPRO® Pharmacy Automation SP Automation Center™ (SPace™) product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		SCRIPTPRO® Pharmacy Automation SP Unit Dispenser® (SPUD®) Robotic Pharmaceutical Dispensing System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	

Examiner
SignatureDate
Considered

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995 no Persons are required to respond to a collection of information unless it contains a valid OMR control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT***(Use as many sheets as necessary)***Complete if Known**

Application Number	10/801,321
Filing Date	03/16/2004
First Named Inventor	Pinney et al
Art Unit	3651
Examiner Name	Tran
Attorney Docket Number	42193-0005

Sheet

2

of

4

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		McKesson ACCU MED™ powered by AUTO LINK™ product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		McKesson ACCU SCRIPT™ Pharmacy Robot product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		McKesson BAKER CASSETTES™ product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		McKesson BAKER CELLS™ product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		McKesson MEDCAROUSEL™ product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		McKesson AUTOMATED WILL CALL product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		NCR INSTYMEDS Prescription Medication Dispenser product literature; published or in public use at least as early as June 30, 2002; 8 pgs.	
		NCR FASTLANE™ The Self-Checkout Solution product literature; published or in public use at least as early as June 30, 2002; 8 pgs.	
		AUTOMED™ Technologies ADDS (Automatic Drug Dispensing System) product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		AUTOMED™ Technologies ATC™ PROFILE SYSTEM product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	

Examiner
SignatureDate
Considered

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995 no Persons are required to respond to a collection of information unless it contains a valid OMR control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT***(Use as many sheets as necessary)***Complete if Known**

Application Number	10/801,321
Filing Date	03/16/2004
First Named Inventor	Pinney et al
Art Unit	3651
Examiner Name	Tran
Attorney Docket Number	42193-0005

Sheet 3

of

4

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		AUTOMED™ Technologies AUTOMED EFFICIENCY PHARMACY™ product literature; published or in public use at least as early as June 30, 2002; 6 pgs.	
		AUTOMED™ Technologies FASTFILL™ SYSTEM product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		AUTOMED® FASTPAK™ 71 System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		AUTOMED® FASTPAK™ 330 and 520 product literature; published or in public use at least as early as June 30, 2002; 4 pgs.	
		AUTOMED® FASTPAK™ Tabletop System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		AUTOMED™ Technologies OPTIFILL-II SYSTEM product literature; published or in public use at least as early as June 30, 2002; 4 pgs.	
		AUTOMED™ Technologies QUICKFILL product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		AUTOMED™ Technologies QUICKFILL PLUS product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		AUTOMED EFFICIENCY PHARMACY™ R400 product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		AUTOMED EFFICIENCY PHARMACY™ R600 product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	

Examiner
SignatureDate
Considered

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995 no Persons are required to respond to a collection of information unless it contains a valid OMR control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number 10/801,321

Filing Date 03/16/2004

First Named Inventor Pinney et al

Art Unit 3651

Examiner Name Tran

Attorney Docket Number 42193-0005

Sheet

4

of

4

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		AUTOMED EFFICIENCY PHARMACY™ R800 product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		AUTOMED EFFICIENCY PHARMACY™ R1000 product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		GSL Solutions WILL-CALL STORAGE SYSTEMS product literature; published or in public use at least as early as June 30, 2002; 4 pgs.	
		INNOVATION ASSOCIATES PharmASSIST Robotic Dispensing Systems (RDS-1 and RDS-II) product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		INNOVATION ASSOCIATES SmartCabinet System product literature; published or in public use at least as early as June 30, 2002; 2 pgs.	
		MedVantx Point-of-Care Automated Sample System product literature; published or in public use at least as early as June 30, 2002; 1 pg.	
		Parata Systems Parata RDS product literature; published or in public use at least as early as June 30, 2002; 3 pgs.	
		PICKPOINT™ FLEXRX™ Pharmacy Dispensing product literature; published or in public use at least as early as June 30, 2002; 1 pg.	

Examiner
SignatureDate
Considered

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.